Safety Data Sheets

toad

Product code: PM-000578

Departement: mica dry pigments

C.A.S.: 12001-26-2, 13463-67-7, 1308-38-9



Section: 1 Identification


Product name toad Mica powder Material use Coloring material

Section: 2 Hazard Identification

GHS-Labelling Not a dangerous substance according to GHS. Other hazards None known

HGS Label Elements

×	×



Mention d'avertissement

Conseils de prudence

P260 Do not breathe dust.

Classe SGH

The product does not require a hazard warning label in accordance with GHS criteria.

Mentions de danger

Section: 3 Composition / Information on Ingredients

Chemical nature Mica coated with titanium dioxide and chromium oxide.

Percentage (%) **Chemical Composition** CI NO. CAS NO. EINECS NO. 77019 Mica 43-47 12001-26-2 310-127-6 TiO2 52-56 77891 13463-67-7 236-675-5 Cr2O3 0-1 77288 1308-38-9 215-160-9

Section: 4 First Aid Measures

Inhalation Move affected person to fresh air. If symptoms persist seek medical attention.

Skin contact Wash affected skin with plenty of water

If contact with eyes directly, flush with gently flowing fresh water thoroughly. If eye

irritation persists, get medical advice

Ingestion Rince mouth with water, drink milk or egg white

Long term (repeated) effects May cause irritation to the respiratory system, cough and/or increased difficulty in

breathing

Section: 5 Fire Fighting Measures

Suitable extinguishing media E

Unsuitable extinguishing media Special risks

Advice for firefighters

Eye contact

Extinguish with waterspray, foam or dry chemical

Carbon dioxide

Non-combustible. None anticipated

Fire fighters should wear complete protective clothing including selfcontained

breathing apparatus

Section: 6 Accidental Release Measures

Personal precautions

Personal protection equipment

In case of emergency

Environmental precautions

Containment and cleaning

Do not breathe dust

Wear appropriate personal protective equipment, see section 8.

A self contained breathing apparatus and suitable protective clothing should be

worn in fire conditions.

Do not allow to enter drains, sewers or watercourses.

Collect mechanically and dispose of according to Section 13. Use vacuum

equipment for collecting spilt materials.

Section: 7 Handling And Storage

Precautions for safe handling Conditions for safe storage

Avoid breathing dust

Keep container tightly closed in a dry and well ventilated place

Section: 8 Exposure Control/Personal Protection

Control parameters Provide adequate ventilation when using the material and follow the principles of good

occupational hygiene to control personal exposures

Exposure limit values Unknowned

Appropriate engineering controls Provide adequate ventilation to ensure that the occupational exposure limit is not

exceeded. Isolate from other operations. This can be achieved by local exhaust ventilation

or general ventilation

Individual protections measures, such as personal protective equipment(PPE)

Eye/face protection Wear eye protection and an approved dust mask if dust is generated during handling.

Goggles giving complete protection to eyes. Dust mask covering nose and mouth

Skin protection Apron or other light protective clothing, boots and plastic or synthetic rubber gloves

Thermal hazards None

Environmental exposure controls Avoid dust generation. Avoid accumulation of dust

Section: 9 Physical and Chemical Properties

 Form
 Powder

 Colour
 Green

 Odour less
 Odourless

 pH
 6.0-9.0 (4% H2O)

 Density
 2.7-3.2 kg/L

 Bulk density
 24-28 g/100g

Bulk density 24-28 g/10
Solubility (in water) Insoluble
Particle size 10-60μm

Section: 10 Stability And Reactivity

Reactivity There may be violent or incandescent reaction of the product with metals at high

temperatures (aluminium; calcium; magnesium; potassium; sodium; zinc; lithium)

Chemical stability Stable under normal conditions

Possibility of hazardous reactions None

Conditions to avoid High temperature

Incompatible materials Strongly acidic, strongly alkaline, oxidizing agents

Decomposition products

No information available

Section: 11 Toxicological Information

This inorganic pigment in general is considered to be practically nontoxic.

Acute toxicity Not available Carcinogenicity Not available

Section: 12 Ecological Information

Toxicity No data

Degradability Insoluble in water. This product is predicted not to degrade in soil and water

Bioaccumulative potential No data

Mobility in soil Not applicable

Section: 13 Disposal Considerations

Waste treatment methods Dispose of contents in accordance with local or national legislation

Section: 14 Transport Information

ADR/RID Not regulated
ADN Not regulated
IMDG Not regulated
ICAO/IATA Not regulated

Section: 15 Regulatory Information

Not classified as dangerous for supply or use

Section: 16 Autres renseignements

Acronyms

ADR European Agreement concerning international carriage of Dangerous goods by Road

CAS Chemical Abstracts Service EC European Community

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IATA International Air Transport Association

Reference Manufacturer's material safety data sheet.

Prepared by Kama pigments

Disclaimer:

Kama pigments, expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information, refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Kama pigments Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Kama pigments makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Kama pigments' control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

