Safety Data Sheets

Isoindolinone Yellow Py139

Product code: PS-OR0034 Department: organic dry pigments C.A.S.: 36888-99-0



Section: 1 Identification

CAS No: C.I. Name: Use of the substance/preparation:

Company supplying the SDS: Address : phone : email : 36888-99-0 Pigment yellow 139 Artists paints, colouring of coatings, inks and plastics.

KAMA pigments 7442 St-Hubert Montréal Québec, H2R 2N3 514 272 2173 info@kamapigments.com

Section: 2 Hazard Identification

HGS Label Elements

Signal Word

GHS Classification

The product does not require a hazard warning label in accordance with GHS criteria.

Hazard statements

No known significant effects or critical hazards.

Precautionary Statements

Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P281 Use personal protective equipment as required. P391 Collect spillage. P403 + 233 Store in a well-ventilated place. Keep container tightly closed.

Section: 3 Composition / Information on Ingredients

Name Pigment yellow 139 (Main constituent) Product identifier (CAS No) 36888-99-0 GHS Classification: Not classified

Section: 4 First Aid Measures

Necessary Measures:	
Inhalation:	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion:	Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Skin Contact:	Wash skin thoroughly with soap and water. Remove contaminated clothing and shoes. Get medical attention if irritation persists.
Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.
Symptoms / Effects:	
Inhalation:	Inhalation of dusts may irritate the nose, throat and upper respiratory tract. In severe cases, remove to fresh air immediately. Call physician.
Ingestion:	No significant effects.
Skin Contact:	May cause skin irritation if in contact for extended periods of time.
Eye Contact:	The more common hazards are local irritation or abrasion.
Chronic Exposure:	None known
Aggravation of Pre-existing Conditions:	None known

Section: 5 Fire Fighting Measures

Fire:	Not considered to be a fire hazard.
Explosion:	Not considered to be an explosion hazard. Sealed containers may rupture when heated.
Fire Extinguishing Media:	Use any means suitable for extinguishing surrounding fire. Carbon dioxide, dry chemical, water spray or foam are suitable.
Fire Fighting Equipment:	Wear self-contained breathing apparatus and protective suit.

Section: 6 Accidental Release Measures

Ventilate area of leak or spill. Wea	ar appropriate PPE as specified in Section 8.
Spills:	Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to
	avoid dust dispersal. Dispose of in accordance with Federal, State of local procedures.

Section: 7 Handling And Storage

Handling:Observe all warnings and precautions listed for the product. Closed containers should be opened in
well ventilated areas. Avoid dust formation. Take precautionary measures against static discharges.Storage:Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical
damage.

Section: 8 Exposure Control/Personal Protection

For Nuisance Dust:	
OSHA Threshold Limit Value (TLV):	15 mg/m3 TWA Total Dust
	5 mg/m3 Respirable Dust
Ventilation System:	A system of local and/or general ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.
Personal Respirators (NIOSH Approved):	Use NIOSH approved respirator as needed to mitigate exposure.
Skin Protection:	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Eye Protection:	Safety glasses with side shields. Maintain eye wash fountain in work area.

Section: 9 Physical and Chemical Properties

Physical state : Appearance : Colour : Odour : Odour threshold : pH: Melting point : Solidification point : Boiling point : Flash point : Relative evaporation rate (butylacetate=1) : Relative evaporation rate (ether=1) : Flammability (solid, gas) : Explosive limits : Vapour pressure : Vapour pressure at 50 °C : Relative vapour density at 20 °C : Relative density : Specific Gravity : Relative gas density : Solubility : Log Pow : Log Kow : Self ignition temperature : Decomposition temperature : Viscosity, kinematic : Viscosity, dynamic : Explosive properties : Oxidising properties :

Solid Odourless yellow Powder. vellow Odourless. Not Applicable No data available Not Applicable No data available 1.72 g/cm3 Not Applicable Insoluble. No data available No data available > 400 °C No data available Not Applicable Not Applicable Non Explosive. Not Applicable.

Section: 10 Stability And Reactivity

Stability: Hazardous Decomposition Products: Hazardous Polymerization: Incompatibilities: Conditions to Avoid: Stable under ordinary conditions of use and storage. When involved in a fire, burning organic pigments may evolve noxious gases. Will not occur. Strong reducing agents, combustibles, and organic materials. Incompatibles.

Section: 11 Toxicological Information

Toxicological Data: Primary Irritation: Reproductive Toxicity:	This product has reported an acute LD50 value of 5000 mg/kg or greater in rats. Non-irritating skin and eyes (rabbit) Not available	
Cancer Lists Ingredient	No known carcinogen are present.	
Section: 12 Ecological Information		
Environmental Fate:	When released into the soil, this material may leach into groundwater. This material may be removed from the atmosphere to a moderate extent by wet deposition. Organic pigments are generally insoluble compounds, and as such are believed to have minimal bioaccumulation and bio-availability characteristics.	

No information found.

Environmental Toxicity:

Section: 13 Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section: 14 Transport Information

U.S. Department of Transportion (D.O.T.) International Maritime Dangerous Goods (I.M.O. / I.M.D.G.) International Air (I.C.A.O. / I.A.T.A.) Proper Shipping Name: UN Number: none Class: none Packing Group: none

Not Regulated

Section: 15 Regulatory Information

According to corresponding national regulations and available test data, there is no labelling requirement for this product.

Canada WHMIS Classification: Uncontrolled product according to WHMIS classification criteria Listed on the Canadian Domestic Substances List (DSL) inventory

USA SARA Section 311/312 hazard classes: SARA Section 313:

Non-hazardous. No reporting requirements for this product. Listed on the United States Toxic Substance Control Act (TSCA) Inventory

Section: 16 Other Information

HMIS III rating: Health: 1 Flammability: 1 Physical Hazard: 0

HMIS and NFPA uses a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme hazard. Although similar, the two ratings systems are intended for different purposes, and use different criteria.

HMIS system - designed to communicate workplace hazard information to employees who handle hazardous chemicals. NFPA system - developed to provide and on-the-spot alert to the hazards of a material and their severity, to emergency responders.

REFERENCE PREPARED BY manufacturer's material safety data sheet Kama pigments

Disclaimer:

Kama pigments, expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information, refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Kama pigments Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Kama pigments makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Kama pigments' control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.



Last revision: 2024-03-06